



# Stickstoffdioxid (NO<sup>2</sup>)

M3.20

Quelle: Staatliches Gewerbeaufsichtsamt Hildesheim, Zentrale Unterstützungsstelle für Luftreinhaltung, Lärm- und Gefahrstoffe

1. Quartal 2024

Erläuterungen: Stundenwerte, gesetzlicher Grenzwert: 40 µg/m<sup>3</sup>

Tag	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
<b>Januar 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>30,4 µg/m<sup>3</sup> am 30.01.2024</b>														
max.	13	17	5	22	21	6	7	8	27	29	28	25	5	3	11	19	21	23	9	18	18	8	12	6	14	16	17	21	23	30	10
Ø	4	9	3	5	10	4	4	5	15	17	20	7	3	2	4	8	14	13	5	11	9	4	5	3	7	6	9	15	15	17	5
<b>Februar 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>80,0 µg/m<sup>3</sup> am 26.02.2024</b>														
max.	7	13	6	5	6	6	21	24	35	26	17	10	13	13	19	16	21	12	9	15	12	11	9	11	10	<b>80</b>	14	25	26		
Ø	5	7	5	4	4	4	6	13	14	18	13	8	10	10	9	11	6	9	6	7	7	7	4	7	6	10	8	12	16		
<b>März 2024</b>																															
<b>Höchster Wert des Monats:</b>																	<b>36,6 µg/m<sup>3</sup> am 26.03.2024</b>														
max.	17	14	23	34	19	20	18	18	19	12	23	22	15	16	13	8	12	19	14	24	7	11	6	6	18	37	18	15	32	23	28
Ø	11	10	12	19	10	11	9	11	11	9	12	12	12	8	8	5	8	11	11	12	5	7	4	4	6	15	13	9	8	11	9